

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21742	370/229,230,389,392,400,401,471.ccls.	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 13:05
L2	155	blocked with destination with address\$2	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 13:06
L3	30	1 and 2	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 13:06
L4	283	(destination adj1 address) with (invalid or illegal)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 13:07
L5	30	1 and 4	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 13:08

L6	324	(non adj1 forward\$3) or nonforward\$3	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 13:09
L7	18	1 and 6	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 13:09
S1	5	blocked adj1 destination adj1 address\$2	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 08:45
S2	92	blocked with destination with address\$2	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:40
S3	1	deprecated adj1 directed adj1 broadcast adj1 address	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:36
S4	1	deprecated adj1 broadcast adj1 address	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:36
S5	63	block\$3 with (broadcast adj1 address)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:38

S6	:86	(permit\$4 or allow\$3) with (broadcast adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 16:01
S7	:0	prohibit\$3 with filter\$3 with(broadcast adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:49
S8	:51	filter\$3 with(broadcast adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:50
S9	:11	filter\$3 with(broadcast adj1 address\$2) with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:56
S10	:11	filter\$3 with (broadcast adj1 address\$2) with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 16:01
S11	:51	filter\$3 with (broadcast adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 16:08
S12	:337	subnet with prefix with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 16:10

S13	47	invalid adj1 destination adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/19 10:45
S14	10	packet with S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/19 10:45
S15	0	"predetermined non-forwarding address table"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 12:54
S16	1390	invalid adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:42
S17	11	(invalid adj1 address) near2 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 12:56
S18	1410	invalid adj1 address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 12:56
S19	31	packet near2 S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:20

S20	:2	(routing adj1 table) with (invalid adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:27
S21	:2508	(den\$3 or block\$3 or reject43) with (destination adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:41
S22	:2670	(den\$3 or block\$3 or reject\$3) with (destination adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:44
S23	:1640	@ad<"20010925" and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:42
S24	:58	(routing adj1 table) same S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:44
S25	:12	(non adj1 forward\$3) with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:15
S26	:0	blocked adj1 address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:15

S27	160	blocked adj1 address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:18
S28	61	(routing adj1 table) with block\$3 with transm\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:20
S29	4	(non-forward\$3) with (destination adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:22
S30	6	blocked adj1 destination adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:24
S31	12	(address adj1 filter\$3) with (rout\$3 adj1 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:27
S32	14612	(rout\$3 adj1 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:27
S33	447	(rout\$3 adj1 table\$1) near2 (destination adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:39

S34	:40	(drop\$3 or discard\$3) same S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:40
S35	:0	(routing adj1 table) same (invalid adj1 destination adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:45
S36	:229	(destination adj1 address) with (invalid or illegal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 17:08
S37	:0	predetermined with (non adj1 forward\$3) with (destination adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 17:09
S38	:4	(non adj1 forward\$3) with (destination adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 17:09
S39	15989	370/229,230,389,392,400,401,471.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:49
S40	1390	invalid adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:42

S41	:42	S40 and S39	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:42
S42	:2670	(den\$3 or block\$3 or reject\$3) with (destination adj1 address\$2)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:44
S43	:385	S39 and S42	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:44
S44	:51	invalid adj1 destination adj1 address	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:42
S45	:261	(non adj1 forward\$3) or nonforward\$3	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:45
S46	:4	(destination adj1 address) near2 S45	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:47
S47	:494	bridge same (routing adj1 table)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:48

S48	19	discard\$3 same S47	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:48
S49	1	deprecated adj1 directed adj1 broadcast adj1 address	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 08:50
S50	346	((destination near address) with (identif\$3 look \$up (look adj up) invalid\$5 drop\$3 unfound\$3 unauthoriz\$5 ban\$3 den\$4 prevent\$3 prohibit\$4 forbid\$4 refus\$3 reject\$3 illegal loop\$back (loop adj back) reserv\$3 deprecat\$3) same filt\$3)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:20
S51	103	S50 and ((rout\$3 forward\$3) adj table)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 15:40
S52	58	S51 and (@ad<"20010925" @rlad<"20010925")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 15:41
S57	347	((destination near address) with (identif\$3 look \$up (look adj up) invalid\$5 drop\$3 unfound\$3 unauthoriz\$5 ban\$3 den\$4 prevent\$3 prohibit\$4 forbid\$4 refus\$3 reject\$3 illegal loop\$back (loop adj back) reserv\$3 deprecat\$3) same filt\$3)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 16:55
S58	212	invalid near5 (destination near2 address)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 16:57

S59	:12	(drop\$4 or discard\$3 or filter\$3) with S58	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 17:02
S60	:20	(drop\$4 or discard\$3 or filter\$3) same S58	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 17:57
S61	:89806	invalid or (non near forward\$3)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 17:58
S62	:46450	destination near address\$1	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 17:59
S63	:214	S61 with S62	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 17:59
S64	:108	S61 near3 S62	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:25
S65	:0	(pre near determined) near4 S64	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 18:01

S66	:6	(drop\$4 or discard\$3) with S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 18:10
S67	:2	"6694353".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 18:29
S68	:0	(discard\$3 near3 flag) with (routing adj1 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:26
S69	1436	(discard\$3 drop\$5) near3 flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:26
S70	16864	rout\$3 adj1 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:27
S71	:0	S69 with S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:27
S72	:9	(table\$1 with packet\$1) with S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:30

S73	236	(table\$1 with packet\$1) and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:46
S74	55	count\$3 with (drop\$4 near2 packet\$1) with source and destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:50
S75	641	count\$3 with (drop\$4 near2 packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:52
S76	278	@ad<"20010925" and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:52
S77	2	"6694353".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/20 10:51
S78	2	"6694353".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 13:26
S79	108	internal with ip with address with filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 13:40

S80	:12	(internal adj ip adj address) with filter\$3	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 13:41
S81	:998	(internal privite) near2 ip near3 address\$3	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 13:45
S82	:66	filter\$3 with S81	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 13:46
S83	:362	(internal privite) near3 (destination adj address \$3)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 13:56
S84	:169674	"11" with filter\$3	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 14:00
S85	:9	(filter\$3 drop\$3) with S83	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 14:01
S86	:58	invalid adj destination adj address\$2	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 14:38

S87	70	(filter\$3 drop\$4 discard\$3) with (invalid near2 address\$2) with packet\$1	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 14:41
S88	323	(non adj forward\$3) nonforward\$3	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 15:12
S89	6	(destination near2 address\$2) with S88	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 15:13
S90	2	"6219706".pn.	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:33
S91	2	"6651096".pn.	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:34
S92	25	destinat\$3 adj address same (discard\$3 drop\$4) same acl	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:36
S93	25	destinat\$3 adj address same (discard\$3 drop\$4) and acl and @ad<"20010925"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:43

S94	:0	acl same destination adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:51
S95	:137	acl same destination adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:52
S96	:0	acl same invalid adj destination adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:52
S97	:59	acl same (invalid nonforward\$3 adj destination adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:53
S98	:70603	address near2 (book list table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:57
S99	:10363	((non adj forward\$3) block\$3 prohibit\$3) same S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:58
S100	:919	((non adj forward\$3) nonforward\$3 block\$3 prohibit\$3) same S98 same packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:58

S101	:462	@ad<"20010925" and S100	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:59
S102	:395	address near5 (book list table) near5 invalid	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:02
S103	:178	@ad<"20010925" and S102	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:03
S104	:0	regist\$3 near5 (destination adj address) with (childeren kids) same web	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:18
S105	:0	register\$3 near5 (destination adj address) with (childeren kids) same web	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:18
S106	:3235	register\$3 near5 (destination adj address)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:19
S107	:12	register\$3 near5 (destination adj address) with (block\$3 prohibit\$3) with access\$3	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:20

S108	2945	(destination adj address) with (block\$3 prohibit\$3 nonforward\$3)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:22
S109	73	(destination adj address) with (prohibit\$3 nonforward\$3)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:22
S110	0	prohibited adj dstination adj address	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:30
S111	3	prohibited adj destination adj address	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:31
S112	59381	prohibited (non adj accessable)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 14:00
S113	13	(non adj accessable) nonaccessible	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 14:02
S114	4	access\$3 near2 prohibit\$3 with (destination adj address)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:16

S115	:2	"20030014665".pn.	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:20
S116	:2	"20020038339".pn.	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:45
S117	1033	(destination near2 address) with (drop\$4 discard \$3) with packet	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:51
S118	1033	2ad<"20010921" and S117	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:52
S119	438	@ad<"20010921" and S117	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:53

6/20/2008 1:11:41 PM

C:\Documents and Settings\shyun\My Documents\EAST\Workspaces\09965514.wsp